

CHEMICAL SOLUTIONS FOR MAINTENANCE, ENGINEERING AND FABRICATION INDUSTRIES



CONTENTS

- 2. About Us
- 3. Global Head Office
- 4. Metalworking Fluids
- 7. Stainless Steel Treatment
- **9.** Metal Cleaning Products
- **10.** Welding Products
- **12.** Corrosion Protection and Zinc Rich Surface Coatings
- **14.** Non-Destructive Testing (NDT)
- 17. Paint Strippers
- 18. COVID-19 Outbreak Solutions
- 21. Global Support



ABOUT US

Callington is a family operated business and has been since 1968, specialising in the development, manufacture, and marketing of innovative, specialty chemical solutions to the aviation, metalworking, welding metal treatment, industrial, fuel additive, and non-destructive testing industries.

We have operations in Australia, the USA, Europe, the Middle East, Africa, Asia, and South America.

Callington is a 100% Australian owned OEM company maintaining accreditation as an Australian Trusted Trader and ISO 9001 certified company whose products comply with international specifications and approvals, including Boeing, Airbus, McDonnell Douglas, and military specifications.

With offices, warehouses and **R&D facilities** we provide our partners;

- Quicker response times
- Faster deliveries and stock availability
- Latest technology: regulatory compliance
- Sustainable and environmentally friendly solutions





GLOBAL HEAD OFFICE

- Global Head Office is located in Sydney, Australia.
- 5,000m² office including R&D, manufacturing and warehousing.
- Supplying maintenance, engineering, and fabrication products across Australia, New Zealand, and global markets.



Global Head Office, Sydney Australia



Warehouse Facility - Dual entry



METALWORKING FLUIDS

A complete range of metal cutting fluids



ECO-TAP LIQUID				
DRILL/TAP/CUT				
Can be applied straight to the cutting operation using the soft squeeze bottle	Item Code	Packaging		
 Designed for difficult machining operations on metals such as stainless steel alloys, titanium, and nickel alloys Excellent corrosion protection even in hard water conditions Mineral oil-free, baron free, oil rejecting synthetic metalworking coolant 	7400/500 7400/42 7400/52	500ml Squeeze Bottle 5L 20L		



ECO-TAP SPRAY					
DRILL/TAP/CUT					
Eco-Tap Spray penetrates quickly, ensuring lubrication at the cutting edge	Item Code	Packaging			
 Extends tool life and improves cutting Penetrates well into deep holes and slots Fast and convenient controlled application Mineral oil-free, baron free, oil rejecting synthetic metalworking coolant 	7402/300/AER	300g Aerosol			





SYN 990 General Purpose Synthetic Metalworking Coolant Item Code **Packaging** Multi-metal machining capability 7170/30 1L • Optimised lubricity additives and detergency 7170/42 5L • Designed for grinding light to medium duty machining of cast iron, 7170/51 20L ferrous alloys, aluminium alloys, and copper alloys 7170/64 200L • Excellent anti-corrosion properties to protect machine tools and components • Excellent wetting properties reduce "drag out" and product usage



AL 1500						
Premium Semi Synthetic Metalworking (Premium Semi Synthetic Metalworking Coolant					
Designed for the machining of aluminium and aluminium alloys	Item Code	Packaging				
 Excellent surface finish and extended tool life Can be used on both aluminium and ferrous materials Exceptional product stability and long coolant life Low foaming characteristics even in modern high-pressure machines 	7460/51 7460/51	20L 200L				



GX 360		
High Performance EP Semi Synthetic Metalwo	rking Cool	ant
One product for multi-metal machining operations	Item Code	Packaging
Excellent coolant stability minimises rejects, and improved machine cleanliness	7486/51 7486/64/AU	20L 200L
Able to tolerate high tramp oil contamination Resistant to bacterial attacks, providing longer service life and lower coolant cost		



SYN 30				
General Purpose Synthetic Metalworking Coolant				
Designed for various grinding machining applications	Item Code	Packaging		
 Excellent stability and resistance to microbial growth Mineral oil, chlorine, phenol, and nitrite-free Excellent corrosion protection even in hard water conditions 	7120/51	20L		



Material	Low Si Aluminium	High Si Aluminium	Aluminium Alloys	Low Alloy Steels	Copper Alloy	High Alloy Steels	Cast Iron	Low Carbon/High Carbon Steel	Stainless Steel	Titanium	Nickel Alloys
Operation											
Grinding	GX360/AL1500	GX360/AL1500	SYN990	SYN30/GX360	SYN990	SYN30/GX360	SYN30/SYN990	SYN30	Eco Tap	Eco Tap	Eco Tap
Honing			SYN990	SYN30	SYN990	SYN30	SYN30	SYN30	Есо Тар	Eco Tap	Есо Тар
Turning	GX360/AL1500	GX360/AL1500	SYN990	SYN30/GX360	SYN990	SYN30/GX360	SYN30/SYN990	SYN30	Есо Тар	Eco Tap	Есо Тар
Boring			SYN990	SYN30	SYN990	SYN30	SYN30/SYN990	SYN30	Есо Тар	Есо Тар	Есо Тар
Milling	GX360	GX360	SYN990	30/GX360	SYN990	SYN30/GX360	SYN30/SYN990	SYN30	Есо Тар	Eco Tap	Eco Tap
Drilling	GX360/AL1500	GX360/AL1500	SYN990	30/GX360/AL1500	SYN990	30/GX360/AL1500	SYN30/SYN990	SYN30	Eco Tap	Eco Tap	Eco Tap
Reaming	GX360/AL1500	GX360/AL1500		GX360/AL1500		GX360/AL1500					
Screw Cutting			SYN990		SYN990		SYN990				
Threading	GX360	GX360		GX360		GX360					
Tapping	GX360/AL1500	GX360/AL1500	SYN990	GX360/AL1500	SYN990	GX360/AL1500	SYN990		Есо Тар	Eco Tap	Есо Тар
Sawing			SYN990		SYN990		SYN990				
Heavy Duty Milling	AL1500	AL1500		AL1500		AL1500					
Deep Hole Drilling									Есо Тар	Есо Тар	Есо Тар
Broaching	GX360/AL1500	GX360/AL1500		GX360		GX360					



STAINLESS STEEL TREATMENT

Callington's S-Weld range meets the needs of stainless fabricators, with proven products for pre and post-welding surface treatments of stainless steel, ranging from brushable gels to sprayable liquids. We have the complete range for pickling and passivation processes.



S-WELD CLEAN					
Thickened Pickling Gel for Stainless Steel					
Removes the black oxide scale burn marks and heat tint caused during	Item Code	Packaging			
welding on the stainless steel	1100/30	12 units x 1kg			
• Conforms to ASTM A380 standard practices	1100/78	6 units x 2.5kgs			
One step treatment for easy application	1100/51	23kgs			
Completely water rinseable allowing no time loss for extra cleaning					
Removes black welding scale, discolouration and corrosion on stainless steel					
Stallitess steet					



S-WELD SPS				
Pickling Spray Solution				
Restores stainless steel and brings it back to looking brand new again,	Item Code	Packaging		
great for refurbs	1108/45	10L		
• Conforms to ASTM A380-17				
Quick acting formulation, one step treatment				
Leaves no residual film after rinsing				
Completely water rinsible				





S-WELD CLEAN PICKLING BRUSHES

The pickling agent will cause the metal band to dissolve before your eyes. It will contaminate the pickling product and transfer it to the stainless steel.

- Designed for use with Pickling Agents
- Designed to be used with acids
- It has no metal band like a normal paint brush

Item Code	Packaging
24.012	Each



STEEL BRIGHT LIQUID

Stainless Steel Pickling Solution

Used to remove weld scale or rust and brighten stainless steels

- Conforms to ASTM A380 standard practices
- Leaves no residual film after rinsing
- Completely water rinsible

Item Code	Packaging
1110/51 1110/64	20L 200L



S-WELD PASSIVATING GEL

For the Passivation of Stainless Steel

Conforms to ASTM A380 and ASTM A967 Passivation Treatments

- Gel consistency for ease of application
- Enhancement of chrome oxide corrosion resistant (passive) layer
- Dissolves any residual surface contamination

····	Ci	
	Item Code	Packaging
	1130/78	6 x 2.5kg bottles



S-WELD PASSIVATING SOLUTION

Powerful Oxidising Solution for the Passivation of Stainless Steel

Conforms to ASTM A380 and ASTM A967 Passivation Treatments

- Dissolves any residual surface contamination
- Ease of application when passivating small parts, ensuring all areas are reached
- Enhancement of chrome oxide corrosion resistant (passive) layer

UI Stallitess Steet						
	Item Code	Packaging				
	1131/51 1131/64	20L 200L				



S-WELD CLEAN NEUTRALISER

Neutralising Solution for Acidic Pickling Paste

Alkaline solution for the neutralisation of acidic pickling waste

- Colour change indicates neutralisation of acidic waste and pH change, therefore waste can be discarded
- Provides protection in environmentally sensitive areas such as tiled or painted surfaces, if used as a surface coating
- Can be used in a spray pack as a test method to ensure all surfaces have been washed down and all acid removed

ng	Paste	
	Item Code	Packaging
	1150/42 1150/51 1150/64	5L 20L 200L



METAL CLEANING PRODUCTS

Callington's Aluminium and Stainless Steel surface treatment products are designed to enhance new fabricated surfaces, restore old surfaces and remove corrosion.



META-BRITE		
Metal Brightener & Stainless Steel	Cleaner	
Restores old aluminium surfaces by removing oxidation	Item Code	Packaging
caused by age, weathering and neglect.	1301/30	1L
Restores the orginal lustre back into the metal	1301/42	5L
Quick acting	1301/51	20L
Very effective in removing road grime and dust	1301/64	200L



ALBRIGHT	,	
Acidic Aluminium Brightener & Cleaner		
powerful acidic detergent designed to quickly remove atmospheric	Item Code	Packaging
Restores the original lustre to the metal Leaves no residual film after rinsing, reducing post weld surface preparation		1L
		5L
		20L
Concentrated cleaner making it very economical to use	1300/64	200L
on large scale projects		
Readily rinsible with water, for easy mixing		



S-WELD BRITE WASH		
Stainless Steel Cleaner		
Removes surface dust, soil, rust, water stains, iron and organic contamination	Item Code	Packaging
 Leaves no residue Readily miscible with water Wide dilution rate – gives a variety of uses 	1205/42 1205/51 1205/64	4 units x 5L 20L 200L



WELDING PRODUCTS

We have products for the professional fabricator to the DIY man. Our Callington welding range covers anti-spatter products, welding torch coolants, and weld cleaning fluids. We have a range of anti-spatter products that are environmentally friendly, water-based products to the traditional solvent-based aerosol products engineered to work on welded metal surfaces to provide protection from molten weld spatter.



S-WELD SPATTER GUARD		
Anti-Spatter Aerosol Spray		
Non-flammable agent for the prevention of weld-spatter adhering to metal	Item Code	Packaging
- unforce during a become diagrams	1450/454	12 x 454g Aerosol Cans
 Provides spatter protection for Mig torch components, jig, fixtures and parent metal Non-flammable & silicone free Improves productivity, which means less post rework and less clean ups 		



CALGUARD ANTI-SPATTER AEROSOL		
Water-Based Aerosol Weld Spatter A	gent	
	Item Code	Packaging
 Non-toxic & water based, making it user safe Ozone safe, making it environmentally friendly Non-flammable, making it workshop safe For MIG & electrode welding Non-flammable & Biodegradable, easy waste disposal 	1400/400	12 X 400ml Aerosol Cans





CALGUARD ANTI-SPATTER SPRAY

Water-Based Calguard Anti-Spatter Spray

Eliminates spatter build up which results in poor gas flow causing pitting, porosity and costly rework

- Non-toxic & water based, making it user safe
- Ozone safe, making it environmentally friendly
- Non-flammable, making it workshop safe
- For MIG & Electrode welding

Ja	atter Spray				
	Item Code	Packaging			
	1400/28 1400/42 1400/51 1400/64	12 x 750ml Trigger Spray Bottles 4 units x 5L 20L 200L			





CALGUARD NOZZLE DIP GEL

Prevents Spatter Adhering to Sensitive Components

- Non-toxic, making it user friendly
- Controlled usage, allowing for no wastage
- Silicone free paintable

Item Code	Packaging
1460/400	12 units x 400g



WELDCOOL Welding System and Torch C

Will extend the life of pumps, seals, gaskets and prevent costly downtime

• Suitable for MIG, TIG, Laser & Plasma cooling systems

• Extends life of pumps, seals and gaskets which prevents costly downtime on equipment

• Non-flammable, low viscosity and low toxicity

• Contains corrosion inhibitors to prevent build-up of rust and extends the life of cooling systems components

)	Coolant			
	Item Code	Packaging		
	1490/42	4 units x 5L		



ELECTRO-CHEM FLUID

Stainless Cleaning Fluid for Electronic

Electro-Chem is suitable for use on the following welding methods: Spot Welding, TIG Welding, Plasma Welding Laser Resistance Welding, Orbital Welding

- Works with many brands of TIG/ brush cleaners
- Non-flammable, making it workshop safe
- Fast acting, cleans and passivates
- Suitable for stainless steel and similar metals

Cleaning Machines			
	Item Code	Packaging	
	1920/42	4 units x 5L	



CORROSION PROTECTION AND ZINC RICH SURFACE COATINGS







Our Silver Zinc Guard range has a product for every application:

- **Silver Zinc Guard Match** is for fast touch-ups on galvanised surfaces and is a great topcoat for Silver Zinc Guard Rich. The finish is a hot dip gal appearance.
- **Silver Zinc Guard Protect** is 65% zinc rich in dry film to give long lasting corrosion protection on new or old surfaces. It is excellent for rework finishing and can be used as a topcoat for Silver Zinc Guard Rich. Hot dip gal appearance.
- **Silver Zinc Guard Rich** is 93% zinc in dry film the ultimate zinc rich coating for sustained protection. Transformed quickly to hot dip gal finish with a topcoat cover of Silver Zinc Guard Match or Protect.










SILVER ZINC GUARD PROTECT		
High Performance Zinc Coating for Long Lasting Co	rrosion Re	sistance
Long Lasting Corrosion Resistance	Item Code	Packaging
 Complies to ASTM A780/A780M* - 65% zinc in dry film Superior adhesions properties, allowing for long term protection 98% zinc purity 	1481P/400	12 x 400g Aerosol



SILVER ZINC GUARD RICH		
Maximum Cold Galvanising Rust and Corrosio	n Protecti	on
Rust & Corrosion Protection	Item Code	Packaging
 Exceeds ASTM A780/A780M* (93% zinc in dry film) High % of zinc content, providing maximum protection 98% zinc purity Superior adhesions properties, allowing for long term protection Complies to AS/NZS 3750.9 	1481R/400	12 x 400g Aerosol



NON-DESTRUCTIVE TESTING (NDT)

Callington manufacture globally approved Non-Destructive Testing technology that can be combined with products & services offering industry inspection solutions.

Penetrant Technology

- Simple 3 step process
- Used to locate cracks, laps, pores, lack of bonding, and similar surface flaws
- Globally approved for Aerospace, Food, Health, Marine and Rail industries
- Suitable for all metals as well as plastics and ceramics





Magnetic Particle Technology

- Coloured magnetic particles allow for maximum contrast
- Used with ferromagnetic materials
- Ideal for all industry applications
- Allows for rapid inspection processes



PENETRANT TECHNOLOGY



DUBL-CHEK DP-50				
Water Washable Solvent Removable Penetrant				
DP-50 can be used on nonporous parts including both	Certification	Item Code	Packaging	
ferrous and nonferrous metals, ceramics, glass and some plastics	SAE AMS 2644 QPL - Type 1,	1492/400	400ml (Aerosol)	
 Brings flaws into sharper, clearer focus with more intense colour Performs more reliably over a greater range of temperatures DP-50 meets stringent low sulfur and chloride requirements Long lasting flaw mark indications: less fading 	Method B & D, Level 3 MIL-I-25135 Revisions C, D & E ASME Code NDT, Sec V AS 2062			



DUBL-CHEK DR-60			
Penetrant Clo	eaner & Remover		
Used to clean away contaminants and remove excess	Certification	Item Code	Packaging
 panetrant from part surfaces Can be used as a pre-cleaner for penetrant inspection evaporates completely and rapidly Relatively volatile Non miscible in water 	QPL-AMS-2644 listing MIL-I-25135 Revisions C, D & E ASME Code NDT, Sec V SAE AMS 2644	1487/400	400ml (Aerosol)



DUBL-CHEK D-100				
Non-Aqueous Developer				
Refined white particles give thin, more uniform layer	Certification	Item Code	Packaging	
 Lays on the surface in a thinner, more uniform, more absorbent coating Has superior suspension properties It is easily removed by light brushing or spray water rinse Works well on smooth or rough surfaces 	QPL-AMS-2644 listing MIL-I-25135 Revisions C, D & E ASME Code NDT, Sec V SAE AMS 2644	1488/400	400ml (Aerosol)	



DUBL-CHEK DR-64			
Multipurpose C	leaner & Remover		
Can be used in the penetrant process to remove excess	Certification	Item Code	Packaging
 Penetrant from part surfaces. Every aerosol contains a direct spray tube for easy removal of white contrast paint Can be used as a pre-cleaner for penetrant inspection evaporates completely and rapidly Can be used in the penetrant and magnetic particle inspection process 	QPL-AMS-2644 listing MIL-I-25135 Revisions C, D & E ASME Code NDT, Sec V SAE AMS 2644	1505/400	400ml (Aerosol)





HM-604			
Water Washable Fluorescent Penetrant			
Level 3, Method A &C, Water Washable, Fluorescent	Certification	Item Code	Packaging
Penetrants	SAE AMS 2644	1496/400/AU	400ml (Aerosol)
• Low to near zero background for assured indication visibility	QPL MIL-I-25135 ASME Code NDT, Sec V		
Sharp, precise flaw indication for rapid interpretation			
Low material consumption (low drag out) due to low viscosity			

MAGNETIC PARTICLES



DUBL-CHEK CP-2			
White Co	ntrast Paint		
Enhances the visibility of indications under visible	Certification	Item Code	Packaging
light conditions • A unique 360° spray valve • High contrast, fast drying and low odour • Multiple spray patterns for controlled application and comfort • Solvent removable	ASME Boiler PressureVessel Code Section V ASTM E709 ASTM E1444 AS 1171	1504/400/AU	400ml (Aerosol)



Visible Black Magnetic Particle Particles rapidly collect at leakage fields producing black indications • A unique 360° spray valve • Low background colour for high contrast indication visibility • Multiple spray patterns for controlled application and comfort • Can be used with both stationary and portable magnetic test equipment Vertification ASTM E1444 ASME B&PV Sec V ASTM E709 ISO 9934-2 MIL-STD-271 NAVSEA T9074-AS- GIB-010/271 MILSTD-1949 AMS 3041	DUBL-CHEK BU-1				
Particles rapidly collect at leakage fields producing black indications ASTM E1444 ASME B&PV Sec V ASME B&PV Sec V ASTM E709 ISO 9934-2 ISO 9934-2 IMIL-STD-271 NAVSEA T9074-AS- GIB-010/271 Gan be used with both stationary and portable	Visible Black Magnetic Particle				
black indications ASTM E1444 ASME B&PV Sec V ASTM E709 ISO 9934-2 MIL-STD-271 NAVSEA T9074-AS- GIB-010/271 MILSTD-1949 ASTM E709 ISO 9934-2 MILSTD-1949	Particles rapidly collect at leakage fields producing	Certification	Item Code	Packaging	
AMS 3043 AMS 2641	 black indications A unique 360° spray valve Low background colour for high contrast indication visibility Multiple spray patterns for controlled application and comfort Can be used with both stationary and portable 	ASME B&PV Sec V ASTM E709 ISO 9934-2 MIL-STD-271 NAVSEA T9074-AS- GIB-010/271 MILSTD-1949 AMS 3041 AMS 3043	1503/400	400ml (Aerosol)	



Fluorescent Green Magnetic Particle				
GW-1 Fluorescent Magnetic Particle oil	Certification	Item Code	Packaging	
 A 360° valve that enables an aerosol to be sprayed upside down Low background colour for assured indication visibility Particles are easily agitated, fast acting and produce defined indications 	MIL-STD-1949 MIL-STD-271(SH) NAVSEA 2501-1500-1 ASTM E 709 ASTM B & PV Code - Section V AMS 3044 AMS 3045 AMS 3161 AMS 2641 DOD-F-87935	1530/400	400ml (Aerosol)	



PAINT STRIPPERS

CH8930

We are Australia's largest producer of paint strippers, and our range includes the traditional Methylene Chloride and Phenol based strippers as well as more environmentally safe paint strippers.



PROFESSIONAL GRADE PAINT STRIPPER

Solvent-Based, Non-Caustic Paint Stripper

Can be used to remove most commonly used paints, lacquers and varnishes from timber, metal, glass, brickwork, cement and plaster

- Suitable for household, marine and Industrial applications
- Solvent based, non-caustic formulation

Item Code	Packaging
6000/30	1L
6000/39	4L
6000/51	20L
6000/64	200L



Non-Flammable Phenolic Paint Strippe

Thickened non-flammable, neutral phenolic paint stripper for the removal of epoxy, polyurethane and other chemically resistant coatings

- Non-corrosive to aluminium, cadmium and high strength steel
- Slow evaporation rate which allows for extended working life
- Removes 2 pack epoxy and PU coatings, including primer and base coats
- Complies to Aircraft Specifications and suitable for Automotive applications

er		
	Item Code	Packaging
	6600/39 6600/51 6600/64	4L 20L 200L
าร		



Eco Friendly Paint Remover		
uitable for all DIYers as well as professionals	Item Code	Packaging
 Does not contain methylene chloride, NMP, phenols, amines, nitrites or chromates Can be used indoors and outdoors, it is effective against acrylics, enamels, epoxies and other single-component coatings Removes multiple layers in one application Water based, 100% biodegradable formulation 	6022/42 6022/51	5L 20L

COVID-19 disinfection. For everyone. Everywhere.

Offering world class outbreak solutions for a global pandemic,

Sold across

90
countries
worldwide*



COVID-19 OUTBREAKS SOLUTION

Callington provides a range of COVID-19 outbreak solutions including broad spectrum disinfectants, to cleaning and personal protection products, which help to eliminate a wide range of microorganisms including viruses, bacteria, and fungus. Our powerful hospital grade disinfectant cleaners can be used on most plastics, composites, and fabrics, while our personal products include disinfectant wipes and anti-bacterial hand gels which are helping to assist workers to practice effective personal hygiene.



NETBIOKEM DSAM+ Hospital Grade Disinfectant Cleaner Item Code **Packaging** Water based ready to use 2-in-1 high performance disinfectant cleaner for all hard surfaces 9192/25 500ml 9192/42 51 • Kills 99.99% of most harmful bacteria, fungi, mycobacteria and viruses 9192/51 20L • Australian TGA listed for COVID-19 claim (ARTG No.355810) • Kills SARS-CoV-2 (COVID-19) virus in 2 minutes, Norovirus, Poliovirus, Adenovirus, Influenza A (H1N1), Proteus vulgaris, Murine hepatitis, Enterococcus hirae, Pseudomonas aeruginosa, Salmonella choleraesuis, Staphylococcus aureus (Golden Staph)



NETBIOKEM SINGLE SHOT SANITISER		
Non-Flammable Room Sanitiser		
	Item Code	Packaging
 Non-flammable and non-toxic aerosol Formulated with natural anti-bacterial ingredients Kills 99.9% of bacteria fast Single-use, full release, super fine fog - no wipe down required 	9189/150	24 units x 150g





KI-0SE 320				
	Communication System Cleaner & Disinfectant			
Specially developed for efficient disinfection and cleaning. Safe to use on plastics, fabrics, metals, rubber, or other surfaces.		Item Code	Packaging	
		9174/005	Single wipe	
Cleans and Disinfects:	Cleans and Disinfects:			
• Telephones	 Computer Screens 			
 Headphones 	 Respiratory Masks 			
 Oxygen Masks 	• Safety Glasses			
• Ear Muffs				



KI-OSE 350			
Commercial Grade Disinfectant Cleaner			
Kills COVID-19 in 5 minutes		Packaging	
 Conforms to Virucidal Effectiveness European Standard EN 14476* Kills 99.99% of most harmful bacteria, fungi and viruses TGA listed for COVID-19 claim (ARTG No.336973) Australian TGA listed for COVID-19 claim (ARTG No.355810) Kills SARS-CoV-2 (COVID-19) virus in 5 minutes, Murine hepatitis, Pseudomonas aeruginosa, Staphylococcus aureus (Golden Staph), Murine norovirus, Influenza A (H1N1), Escherichia coli (E coli), Enterococcus hirae, Proteus vulgaris 	9183/25/AU 9183/42/AU 9183/51/AU	500ml 5L 20L	



Hospital Grade Disinfectant Wipes for Surfaces		
Kills COVID-19 in 5 minutes	Item Code	Packaging
 Australian TGA listed for COVID-19 claim (ARTG No.369632) Kills SARS-CoV-2 (COVID-19), Adenovirus, Murine Norovirus, Murine Hepatitis, Influenza A (H1N1), Pseudomonas aeruginosa, Escherichia coli (E. coli), Staphylococcus aureus (Golden Staph), Proteus vulgaris 160 x 200 mm non-woven spunlace wipe Ready to use travel pack of 30 wipes 	9170/005 9170/30/AU	Single wipe 96 x 30 wipes/pack



NOVOGEL AB			
Antibacterial Hand Gel			
1811 00 0001	Item Code	Packaging	
 Kills 99.99% of germs fast No rinsing required Includes Aloe Vera skin moisturisers pH balanced and protects the skin from dryness and irritation Formulated to meet the infection control guidelines recommended by both the World Health Organisation and the US Centers for Disease Control 	9024/050/LQ 9024/16/LQ 9024/25/LQ 9024/42 9024/51	250 x 50ml per carton 12 x 236ml per carton 12 x 500ml per carton 4 x 5L per carton 4 x 20L per carton	





CORDLESS ELECTROSTATIC BACKPACK SPRAYER

Patented Spraying Technology

- Patented electrostatic (double) charge penetrates chemical providing a thin even spray pattern on all surfaces
- Approved for use with all Callington COVID-19 disinfectants
- Removable easy fill tank holds 8.5 litres of chemical
- 4 hours run time on a single charge

y		
	Item Code	Packaging
	VP300ESK	Each



CORDLESS ELECTROSTATIC HANDHELD SPRAYER

Patented Spraying Technology

- Patented electrostatic (double) charge penetrates chemical providing a thin even spray pattern on all surfaces
- Approved for use with all Callington COVID-19 disinfectants
- Weighs only 2.7kg with a full tank
- 4 hours run time on a single charge

/		
	Item Code	Packaging
	VP200ESK	Each




BIOHAZARD SPILL KIT

Versatile Spill Cleaning Kit

- Designed for single use application
- Packed in tamper proof plastic for added security
- Contents: Ki-ose 3-in-1 spray (30ml), Absorbent granules, Face/eye mask (combined), Absorbent cloth, Long sleeve protective apron, Scoop and scraper, Alcohol wipes, Bio-hazard waste bag (with tie), Disposable nitrile gloves, Instructional leaflet

Item Code	Packaging
4852/PREKIT	48 x kits per carton

GLOBAL SUPPORT





HEAD OFFICE: Sydney, Australia



MANUFACTURING SITES: Florida, Paris, Tunis, Chennai, Kuala Lumpur, Bangkok, Sydney, Jakarta, Capetown



R&D SITES: Sydney, Paris, Bangkok, Chennai



SALES OFFICES: Florida, Paris, Sydney, London, Chennai, Singapore, Kuala Lumpur, Bangkok, Montreal, Hong Kong, Dubai,



DISTRIBUTION WAREHOUSES: Paris, Dubai, Singapore, Sydney, Bangkok, London, Mumbai, Chennai, Florida, Johannesburg, Santiago, Ho Chi Minh City, Copenhagen, Moscow, Mexico City





. . .

.

. . .



AND SERVICES ARE PROVIDED TO CUSTOMERS IN OVER 150 COUNTRIES



canada@callington.com



Callington Thailand +66 2440 0686 thailand@callington.com



Callington UK Ltd +33 1 64 11 33 22 UK@callington.com



Callington Inc +1 (321)-972-2034 americas@callington.com



Callington India +91 44 2828 2128 india@callington.com



Callington Singapore Pte Ltd +65 6271 0091 singapore@callington.com



Callington Malaysia +6 013 4532989 malaysia@callington.com



Callington Philippines +65 6271 0091 philippines@callington.com



Callington Vietnam +65 6271 0091 vietnam@callington.com



Callington Haven Pty Ltd +61 2 9898 2700 australia@callington.com



Callington Hong Kong +971 (0) 4 223 0133 hongkong@callington.com



Callington Middle East +971 (0) 4 223 0133 uae@callington.com



PSA Paris +33 1 64 11 33 22 europe@callington.com